

# HOLIDAY PARKS





**7 SINGLE SLIDE OPTIONS**

- 8 MINI SLIDE - 1MNC5
- 9 MIDI SLIDE - 1MCDR, 1MDC5, 1MDAS
- 10 MAXI SLIDE - 1MXCS
- 11 GIGA SLIDE - 1GGTBBS

**13 DOUBLE SLIDE OPTIONS**

- 14 MINI SLIDE - 2MNCWS, 2MNCWR
- 15 MIDI SLIDE - 2MDBWS, 2MDCTFS, 2MDCAS
- 16 MAXI SLIDE - 2MXTFBR
- 17 GIGA SLIDE - 2MGCAR

**19 TRIPLE SLIDE OPTIONS**

- 20 MINI SLIDE - 3MNTFWCS, 3MNTFWCR
- 21 MIDI SLIDE - 3MDCWTF5
- 22 MIDI SLIDE - 3MDCWTFR
- 23 MAXI SLIDE - 3MXFBTWS
- 24 MEGA SLIDE - 3MGATFCR
- 25 GIGA SLIDE - 3GGTFTBCR

**27 PLAY STRUCTURE OPTIONS**

- 28 B6 & B9 SERIES
- 29 C10 & A1 SERIES
- 30 AQUATOWER TYPE-A02 STANDARD THEME
- 31 AQUATOWER TYPE-B06 STANDARD THEME
- 32 AQUATOWER TYPE-B06 PARADISE ISLAND THEMED
- 33 AQUATOWER TYPE-B09 PIRATES OF THE OCEAN THEMED

**34 THEMING OPTIONS**

**36 SPRAY ACTION OPTIONS**

**41 REFERENCES**



**SLIDE RULES**

- No running on the slide
- No pushing or shoving
- No horseplay
- No food or drink on the slide
- No alcohol on the slide
- No smoking on the slide
- No use of mobile phones on the slide
- No use of cameras on the slide
- No use of video cameras on the slide
- No use of drones on the slide
- No use of any other devices on the slide

A large outdoor swimming pool complex is shown under a clear blue sky. On the left, a multi-lane slide with yellow and blue slides winds down into a pool. The pool deck is paved with light-colored tiles and features several lounge chairs and large blue umbrellas. A few people are seen relaxing on the chairs and swimming in the pool. In the background, there are palm trees, a building with a corrugated metal roof, and a hillside. A tall light pole stands near the center of the pool area. The overall scene is bright and sunny, suggesting a warm day.

# SINGLE SLIDE OPTIONS

# MINI SLIDE

## 1MNCS



TECH SPECS	
HEIGHT	2.85 m
LENGTH	16.23 m
DEPTH	600 mm
WIDTH	900 mm
SLOPE	10 - 14%
MAX. CAPACITY PER HOUR	180 - 240
REQUIRED AREA	10 x 5 m
FLOW RATE	90 - 120 m <sup>3</sup>

# MIDI SLIDE

## 1MCDR - 1MDCS - 1MDAS



TECH SPECS	
HEIGHT	4.50 m
LENGTH	29.29 m + 9 m Run-out
DEPTH	600 mm
WIDTH	900 mm
SLOPE	10 - 14%
MAX. CAPACITY PER HOUR	180 - 240
REQUIRED AREA	19 x 4 m
FLOW RATE	90 - 120 m <sup>3</sup>



TECH SPECS	
HEIGHT	4.50 m
LENGTH	25.07 m
DEPTH	600 mm
WIDTH	900 mm
SLOPE	10 - 14%
MAX. CAPACITY PER HOUR	180 - 240
REQUIRED AREA	9 x 4 m
FLOW RATE	90 - 120 m <sup>3</sup>



TECH SPECS	
HEIGHT	4.70 m
LENGTH	24.10 m
DEPTH	825 mm
WIDTH	825 mm
SLOPE	10 - 14%
MAX. CAPACITY PER HOUR	180 - 240
REQUIRED AREA	5.5 x 5.5 m
FLOW RATE	90 - 120 m <sup>3</sup>

# MAXI SLIDE

## 1MXCS



TECH SPECS	
HEIGHT	6.10 m
LENGTH	34.21 m
DEPTH	600 mm
WIDTH	900 mm
SLOPE	10 - 14%
MAX. CAPACITY PER HOUR	180 - 240
REQUIRED AREA	13 x 11 m
FLOW RATE	90 - 120 m <sup>3</sup>

# GIGA SLIDE

## 1GGTBBS



TECH SPECS	
HEIGHT	10 m
LENGTH	26.14 m + 51.13 m + 9.82 Run-out
DEPTH	1200 / 700 mm
WIDTH	1200 / 1000 mm
SLOPE	10 - 14%
MAX. CAPACITY PER HOUR	180 - 240
REQUIRED AREA	38 x 12 m
FLOW RATE	90 - 120 m <sup>3</sup>



# DOUBLE SLIDE OPTIONS

# MINI SLIDE

## 2MNCWS - 2MNCWR



TECH SPECS	
HEIGHT	2.95 m
LENGTH	25.03 m / 10.56 m
DEPTH	600 mm / 500 mm
WIDTH	900 mm / 2250 mm
SLOPE	10 - 14% / 20 - 40%
MAX. CAPACITY PER HOUR	180 - 240 / 240 - 360
REQUIRED AREA	13 x 11 m
FLOW RATE	90 - 120 m <sup>3</sup> / 60 - 90 m <sup>3</sup>



TECH SPECS	
HEIGHT	3.20 m
LENGTH	10.86 m + 8.20 m Run-out 27.94 m + 6.80 m Run-out
DEPTH	600 mm / 500 mm
WIDTH	900 mm / 2250 mm
SLOPE	10 - 14% / 20 - 40%
MAX. CAPACITY PER HOUR	180 - 240 / 240 - 360
REQUIRED AREA	13 x 11 m
FLOW RATE	90 - 120 m <sup>3</sup> / 60 - 90 m <sup>3</sup>

# MIDI SLIDE

## 2MDBWS - 2MDCTFS - 2MDCAS



TECH SPECS	
HEIGHT	4.50 m
LENGTH	32.25 / 13.72 m
DEPTH	700 / 500 mm
WIDTH	1000 / 2250 mm
SLOPE	10 - 14 / 20 - 40%
MAX. CAPACITY PER HOUR	180 - 240 / 240 - 360
REQUIRED AREA	16 x 9 m
FLOW RATE	90 - 120 / 60 - 90 m <sup>3</sup>



TECH SPECS	
HEIGHT	5.10 m
LENGTH	29.43 / 14.80 m
DEPTH	600 / 825 mm
WIDTH	900 / 825 mm
SLOPE	10 - 14 / 20 - 40%
MAX. CAPACITY PER HOUR	180 - 240 / 180
REQUIRED AREA	15 x 9 m
FLOW RATE	90 - 120 / 90 m <sup>3</sup>



TECH SPECS	
HEIGHT	4.40 m
LENGTH	25.43 / 24.98 m
DEPTH	600 / 825 mm
WIDTH	900 / 825 mm
SLOPE	10 - 14 / 20 - 40%
MAX. CAPACITY PER HOUR	180 - 240 / 180 - 240
REQUIRED AREA	10 x 7 m
FLOW RATE	90 - 120 / 90 - 120 m <sup>3</sup>



# MAXI SLIDE


## 2MXTFBR



TECH SPECS	
HEIGHT	6.90 m
LENGTH	19.11 m + 13.81 m Runout / 51.82 m + 8.81 m Run-out
DEPTH	825/1200-700 mm
WIDTH	825/1200-1000 mm
SLOPE	20 - 40% / 10 - 14%
MAX. CAPACITY PER HOUR	180 / 180 - 240
REQUIRED AREA	34 x 14 m
FLOW RATE	90 m <sup>3</sup> / 90 - 120 m <sup>3</sup>

# GIGA SLIDE

## 2MGCAR



TECH SPECS	
HEIGHT	7.92 m
LENGTH	51.07 m + 10.32 m Runout / 67.54 m + 7.82 m Run-out
DEPTH	825 / 600 mm
WIDTH	825 / 900 mm
SLOPE	10 - 14% / 20 - 40%
MAX. CAPACITY PER HOUR	180 - 240 / 240 - 360
REQUIRED AREA	28 x 12 m
FLOW RATE	90 - 120 m <sup>3</sup> / 60 - 90



**TRIPLE SLIDE  
OPTIONS**

# MINI SLIDE

## 3MNTFWCS - 3MNTFWCR




TECH SPECS			
<b>HEIGHT</b>	2.95 m	<b>SLOPE</b>	20 - 40% / 20 - 40% / 10 - 14%
<b>LENGTH</b>	11.37 / 10.59 / 24.36 m	<b>MAX. CAPACITY PER HOUR</b>	180 / 240 - 360 / 180 - 240
<b>DEPTH</b>	825 / 500 / 600 mm	<b>REQUIRED AREA</b>	13 x 13 m
<b>WIDTH</b>	825 / 3000 / 900 mm	<b>FLOW RATE</b>	90 / 60 - 90 / 90 - 120 m <sup>3</sup>



TECH SPECS			
<b>HEIGHT</b>	2.95 m	<b>SLOPE</b>	20 - 40% / 20 - 40% / 10 - 14%
<b>LENGTH</b>	9.72 + 8.82 Run-out / 10.64 + 8.24 Run-out / 23.53 - 5.83 Run-out	<b>MAX. CAPACITY PER HOUR</b>	180 / 240 - 360 / 180 - 240
<b>DEPTH</b>	825 / 500 / 600 mm	<b>REQUIRED AREA</b>	20 x 13 m
<b>WIDTH</b>	825 / 3000 / 900 mm	<b>FLOW RATE</b>	90 / 60 - 90 / 90 - 120 m <sup>3</sup>

# MIDI SLIDE

## 3MDCWTFS



TECH SPECS			
<b>HEIGHT</b>	4.55 m	<b>SLOPE</b>	20 - 40% / 20 - 40% / 10 - 14%
<b>LENGTH</b>	13.83 / 13.28 / 35.70 m	<b>MAX. CAPACITY PER HOUR</b>	180 / 240 - 360 / 180 - 240
<b>DEPTH</b>	825 / 500 / 600 mm	<b>REQUIRED AREA</b>	15 x 13 m
<b>WIDTH</b>	825 / 2250 / 900 mm	<b>FLOW RATE</b>	90 / 60 - 90 / 90 - 120 m <sup>3</sup>

# MIDI SLIDE

## 3MDCWTFR



TECH SPECS			
<b>HEIGHT</b>	4.50 m	<b>SLOPE</b>	20 - 40% / 20 - 40% / 10 - 14%
<b>LENGTH</b>	12.90 + 10.33 Run-out / 12.79 + 10.74 Run-out / 36.98 + 5.80 m	<b>MAX. CAPACITY PER HOUR</b>	180 / 240 - 360 / 180 - 240
<b>DEPTH</b>	825 / 500 / 600 mm	<b>REQUIRED AREA</b>	27 x 13 m
<b>WIDTH</b>	825 / 2250 / 900 mm	<b>FLOW RATE</b>	90 / 60 - 90 / 90 - 120 m <sup>3</sup>

# MAXI SLIDE

## 3MXFBTWS



TECH SPECS			
<b>HEIGHT</b>	4.14/6.48 m	<b>SLOPE</b>	20 - 40% / 10 - 14% / 20 - 40%
<b>LENGTH</b>	15.74 / 50.16 / 17.44 m	<b>MAX. CAPACITY PER HOUR</b>	240 / 360 - 180 / 240 - 180
<b>DEPTH</b>	500 / 700 / 700 mm	<b>REQUIRED AREA</b>	19 x 14 m
<b>WIDTH</b>	2250 / 1000 / 1000 mm	<b>FLOW RATE</b>	60 / 90 - 90 / 120 - 90 m <sup>3</sup>

# MEGA SLIDE

## 3MGATFCR



TECH SPECS			
<b>HEIGHT</b>	8.00 / 5.00 m	<b>SLOPE</b>	20 - 40% / 10 - 14% / 10 - 14%
<b>LENGTH</b>	19.83 + 14.80 Run-out / 56.69 + 9.80 Run-out / 41.93 + 6.80 m	<b>MAX. CAPACITY PER HOUR</b>	180 / 180 - 240 / 180 - 240
<b>DEPTH</b>	825 / 825 / 600 mm	<b>REQUIRED AREA</b>	27 x 40 m
<b>WIDTH</b>	825 / 825 / 900 mm	<b>FLOW RATE</b>	90 / 90 - 120 / 90 - 120 m <sup>3</sup>

# GIGA SLIDE

## 3GGTFTBCR



TECH SPECS			
<b>HEIGHT</b>	10.0 m	<b>SLOPE</b>	20 - 40% / 10 - 14% / 10 - 14%
<b>LENGTH</b>	21.45 + 16.82 Run-out / 72.20 + 10.82 Run-out / 83.11 + 8.33 m	<b>MAX. CAPACITY PER HOUR</b>	180 / 180 - 240 / 180 - 240
<b>DEPTH</b>	825 / 1200 / 600 mm	<b>REQUIRED AREA</b>	14 x 46 m
<b>WIDTH</b>	825 / 1200 / 900 mm	<b>FLOW RATE</b>	90 / 90 - 120 / 90 - 120 m <sup>3</sup>



# PLAY STRUCTURE OPTIONS

## B6 SERIES




## C10 SERIES



## B9 SERIES



## A1 SERIES



# AQUATOWER TYPE

## A02 - STANDARD THEME



TECH SPECS	
<b>DIMENSIONS</b>	14.8 x 10.62 m
<b>HEIGHT</b>	6.70 m
<b>POOL AREA (m<sup>2</sup>)</b>	174 m <sup>2</sup>
<b>FLOW RATE</b>	100 m <sup>3</sup>

# AQUATOWER TYPE

## B06 - STANDARD THEME





# AQUATOWER TYPE

## B06 - PARADISE ISLAND THEMED



TECH SPECS	
<b>DIMENSIONS</b>	24.00 x 19.41 m
<b>HEIGHT</b>	10.80 m
<b>POOL AREA (m<sup>2</sup>)</b>	475 m <sup>2</sup>
<b>FLOW RATE</b>	390 m <sup>3</sup>

# AQUATOWER TYPE

## B09 - PIRATES OF THE OCEAN THEMED



TECH SPECS	
<b>DIMENSIONS</b>	30.95 x 25.95 m
<b>HEIGHT</b>	12.30 m
<b>POOL AREA (m<sup>2</sup>)</b>	722 m <sup>2</sup>
<b>FLOW RATE</b>	570 m <sup>3</sup>

# THEMING OPTIONS



**A01** PARADISE ISLAND



**A02** UNDERWATER



**Z03** UNDERWATER




**A01** UNDERWATER



**Z03** PARADISE ISLAND



**Z01** PIRATE



**B03** DINO

# SPRAY ACTION



# SPRAY ACTION



An aerial photograph of a vibrant water park. The park features a large blue pool with several slides in various colors like blue, yellow, and red. There are multiple play structures with umbrellas and water sprays. People are seen swimming and playing in the water. The background is filled with lush green trees and a clear blue sky.

# REFERENCES

# REFERENCES



Big 4 Gold Coast Holiday Park, QLD



Big 4 Tweed Billabong Holiday Park, NSW



Big 4 Nambucca, NSW



The Big Banana Fun Park, NSW



Big 4 MacDonnell Range Holiday Park, NT



Big 4 Cania Gorge Caravan Tourist Park, QLD



Nobby Beach Holiday Village, QLD



Marion Swimming Centre, SA



Big 4 Capricorn Palms Holiday Village, QLD



Big 4 Rivershore Resort, QLD



Nowra Aquatic Centre, NSW



Casino Olympic Pool & Gymnasium, NSW

